




INCOME POTENTIAL:

Hunting Leases

Marketing Live Hogs to Processors!









Hogs were first brought to the U.S. <u>mainland</u> by:

- a. Hernando de Soto in 1539
- b. Christopher Columbus in 1492
- c. A disillusioned wildlife biologist in 1937



Feral hog populations with domestic ancestry are the most common morphotype found in the United States.

True

or False?

The first pure "Russian" wild boars were brought into the United States in:

- a. New Hamps
- b. Texas
- c. California



THE RUSSIAN

* Eurasian (Russian) wild boars native to the Ural Mountains in Russia, also native to Poland and Germany.



Feral hogs, Russian wild boars and their crosses exist in how many states?

a. 12

b. 45

c. 40



Feral hogs, Russian wild boars and their crosses exist in how many states?

a. 12

b. 45

c. 40



Feral hogs are classified as game animals in

- a. Texas
- b. California
- c. New Mexico

So, does that mean I don't need a hunting license in Texas?



The state with the largest feral hog population is:

- a. Texas
- b. Florida
- c. California




The state with the largest feral hog population is:

- a. Texas
- b. Florida
- c. California



(U.S. population = 4-5 million?)



Hogs in Texas

Mid 1500's - de Soto introduced hogs

1565 - Spanish colonists drove swine north across the Rio Grande to avoid Indians

 $\underline{1670}$ - Hogs brought north to Texas as a food source for missions

1685 - LaSalle brought hogs to coast

1850 to 1950's - Domestic swine allowed to free range across east, central and south Texas

"At this camp (near Crockett) we were annoyed by hogs beyond all description. At almost every camp we were surrounded by them; but

here they seemed perfectly frantic and delirious with hunger. These animals proved indeed, throughout Texas, a disgusting annoyance."

Frederick Law Olmstead

Olmstead - mid 1800's "Vast herds of hogs, estimated at 18,000 head, roamed the woods and lived off bountiful acorn crops"

History of Cherokee County-circa 1850

They have a HUGH wild hog problem here in the area.....Pigs have destroyed some farmers crops and are wreaking havoc all over the countryside by even going into people's houses. Needless to say because of security reasons, the farmers can't go out and use their guns to shoot the pests, so right now they are kind of at the mercy of the pigs."

Wendy Flatt PRT-Ag Advisor Kirkuk, Irag-2009

FERAL HOG EXPANSION

- · 1988-462 U.S. counties had feral hogs
- · 2004—1,042 U.S. counties had feral hogs
- Increase of 125% !!!
- 39 states and 4 Canadian Provinces as of 2006




How Did We Get So Many So Fast?

- · Generalist omnivores
- Intelligent
- · Indiscriminant stockings
- · Supplementally fed
- · High reproductive rates



Feral hogs are carriers for both swine brucellosis and pseudorabies



Average litter size for feral hog

sows is:

a. 4-6

b. 8-10


c. 10-12




The best developed sense in feral hogs is:


- a. Sight
- b. Hearing
- c. Smell






































Feral hogs have been known to
feed on:
a. Young lambs kild goats
b. Fawns
c. Quail and turkey e
d. All of the above

	Co	ntrol	Optio	ons	
A Care					
		V/4			
K. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		e II			
30		5		14	
	THE WASHINGTON		الكار		

























Aerial Hunting Advantages: Effective Disadvantages: •Expensive •Low Success In Brush •Hazardous





Trapping Tips

Small traps vs large traps

Target juveniles for population reduction

Multiple traps

Pre-bait/Monitor

Vary baits

Fall/Winter

Don't give up!



What are some good baits to attract feral hogs to traps?

α.	Corn	and mile

- b. Horse and
- c. Strawb

d. All of the abo

South Texas Bait Trial

- · August 2006 Trial Evaluated 11 Baits
- 10 Liquid Feed Additives (anise, bubblegum, butterscotch, berry, strawberry, caramel, apple, pig frenzy, blended cheese and banana)
- 1 Attractant-Boarmate Pheromone Used
- · Liquid Berry and Strawberry Visited 2X More than Other Attractants and 4X More Than Control-Strawberry = fewer nontarget species using bait

Source: Campbell et al 2006; APHIS-WS, TAMU-K

HOG BAIT RECIPE

- * 40-50 gallon metal trash can
- * 150 pounds of corn
- * 8 pounds of sugar
- * 1 packet of yeast
- * Fill can with water 3-4" above corn
- * Place trash can in direct sunlight-1 week
- * Optional: 5 packets of grape, strawberry or raspberry flavored Jello

OTHER BAITS

- · Corn/milo/rice fermented in water/beer/milk
- · Used fish grease or sardines and corn
- · Bread fermented in water or beer
- · Spoiled produce
- · Dry dog food
- · Commercial baits
- Ripe fruit (peaches, bananas or plums)
- "Freshen" other baits with berry spray




12		
	·	


	-	
























Funnel Shaped/Spring Loaded Gate






















































Successful Trapping


- Use bigger traps
- Use small (4" x 4") mesh
- Pre-bait, Pre-bait, Pre-bait !!!!!!
- · Monitor by camera





_	١		A
	١	4	_





Welder Wildlife Foundation Excluding Hogs from Feeders






















a. A hog's family
b. A thick brush hide
built for protect
c. Tough shoulder the sue





BONUS QUESTION: What is a family group of feral swine called? Sounder



So What Do We Do??

- Trap Efficiently on a Sustained Basis
- · Work Cooperatively With Neighbors
- · Don't Stock Hogs!!!!
- Private Assistance
- Public Assistance



		,	_	
13	1	1	١	