




How many calves does it take to equal the profit in a quail?

OR


How many quail does it take to equal the profit in a calf?


























Quail Population Trends (as gauged by QU members)

- 87% cited declining quail numbers since '89
- attributed declines to:
 - Weather 78%
 - Land Use Changes 48%
 - Predators 42%
 - Overgrazing 39%
 - Fire Ants 33%



Quail Population Trends

(as gauged by landowners)



- 64% cited declining quail numbers since '89
- 27% said low quail numbers precluded leasing
 - •Weather 11%
 - •Overgrazing 1%



In Search of Camo Cowboy Hats

- Appreciating quail habitat
 - Judge with heightened awareness
- Incorporating quail into mgmt decisions
 - SR (grass sculpting)
 - Brush mgmt (sculpting)

Do cows and quail compete?



- Forage??
- Grass
- Brush



Impacts of cattle

Direct

- Nest trampling
 - Rarely a concern
- · Nest site availability
 - Commonly a concern

Indirect


- Structural changes
- Species composition
- · Vulnerability to predators
- Associated activities

Trade-offs



- 1. Can cattle and quail coexist simultaneously?
- 2. Can cattle and quail enterprises be *maximized* simultaneously?





Grazing paradigms

Livestock manager Vs. Quail manager

Range Condition & Quail: when fair may be better than good!

- Site potential
 - Rainfall gradient
 - Sandy vs. clay soils
- Lower classes for food
- Higher classes for nesting
- Patch grazing provides desirable mix

Evolution of thought

- Overgrazing
- Undergrazing
- Grass sculpting

A case for understocking

"Bottom line, moderate stocking rates produce only slightly less average net returns per acre and with much less income variation compared to heavy stocking rate."

- J. R. Conner

A case for understocking

"Little or no grass equals little or no quail production."

- L. Brennan

But grass can get too thick for quail, can't it?

- In more "mesic" areas, yes
- Rarely a problem west of I-35
- Insulation helps increase survival
- Affords options for brush mgmt (e.g. fire)

Fred S. Guthery

Hunter's perspective

- Dog work is key reason for hunting
- Should be able to see dog most of the time
- Grass vs. Brush density
- · Habitat for "holding"

Action levels


(minimum thresholds)

- > 250 nest clumps/ac
 - bunchgrass, tobosa, prickly pear
 - rope from one to the next
- Softball guidelines
 - Shouldn't be visible > 40 feet
 - Should roll with ease at ground level
- Coverts a softball throw apart
- Step from one food plant to next

Grass sculpting

- Understocked most years
 - Light to moderate SRs
- Limited spot grazing
 - Continuous or "slow" rotations
- Flexible





For more information:

- texnat.tamu.edu
- www.quailresearch.org
- teamquail.tamu.edu
- d-rollins@tamu.edu

